




Drylac®

POWDER COATINGS

Stellix

2nd generation bonded metallic powder coatings
volume 1



A BETTER FINISH. FOR A BETTER WORLD.

Stellix TIGER Drylac® 2nd generation bonded metallic powder coatings are entirely manufactured in-house using an advanced proprietary technology 2nd generation bonding process that imparts advanced quality and a high degree of color consistency during the application process.

Stellix unique benefits include

Batch to batch consistency	Recyclability
Higher first pass transfer efficiency	Uniform and flawless finish
No need for special equipment during application	Lower gun settings leading to less equipment wear
Transportation and storage particle segregation free	No dry spray, clouding, stripping or picture framing

Attach flair and style to ordinary design creations

This color chart combines popular exterior and interior **Stellix** 2nd generation bonded metallic powder coatings, designed with the designer, the coater and the OEM in mind.

Iron Glimmer smooth and fine textured finishes for exterior applications provide a metallic look but contain little or no metallic pigments. They are ideal for one-coat finish solutions.

Glitter finishes contain sparkling metallic flakes suspended in a clear coat. They can be applied over any base coat color, providing a high range of effects by just changing the base coat color. They are available in Gold (not displayed in this chart) and Silver. The Twilight version (49/00390) provides multiple-color sparkles to add delight and cheerfulness to any color.

Holographic finishes provide an ever changing color travel. They are available as transparent finishes with multicolored holographic pigments (not displayed in this chart) or as non-transparent finishes with holographic effects. They add mystery and reveal fascinating effects depending on the view angle.

Pearlescent finishes offer reflective metallic values reminiscent of natural pearls. They provide luster and shine and transform objects into something special.

Revitalize flat surfaces with textures

Antique or Vein textured metallic finishes add visual dimensional layers to objects that otherwise show no character. They also hide uneven surfaces and are easy to maintain.

Information Fascination

Finishes designed for **exterior applications** are also suitable for interior applications.

Finishes designed for **interior applications** (such as Series 09, Series 69) do not offer adequate UV resistance for exterior applications. Applying a clear top coat over a finish for an interior application will not increase its UV resistance.

For porous or out-gassing prone substrates such as cast and hot galvanized steel, aluminum flame-sprayed as well as fired clay and ceramic, it is possible to customize any **Stellix** 2nd generation metallic finish in an Out-Gassing Forgiving (OGF) formulation. Alternatively, an OGF additive can be added to any TIGER Drylac powder coating. However, for large volumes, it is recommended to produce the powder coating in an OGF formulation on a custom-basis.


For a proper application of **Stellix** 2nd generation bonded metallic powder coatings, it is recommended to carefully read the “Guidelines for Application of Metallic Powder Coatings” and adhere to its contents. This document is downloadable from TIGER’s website.

Stellix 2nd generation bonded metallic powder coatings in this color chart include:

Interior applications	Epoxy/Polyester (Hybrid)	Series 09
	Epoxy	Series 69
Interior and Exterior (non architectural) applications	Polyester TGIC	Series 39
	Polyester TGIC-free	Series 59
Exterior (architectural) applications	Polyester TGIC Super Durable	Series 38

Stellix


2nd generation bonded metallics



Silver Fine Texture
* 09/90530
Interior only




APRX to RAL 9007 Gloss Silver
* 09/90460
Interior only




Copper Blast
* 09/68420
Interior only

NEW



Beige Metallic
* 09/60610
Interior only




High Lights Bronze **NEW**
* 09/68635
Interior only




Bronze Metallic
* 09/60600
Interior only



Rustico **NEW**
* 09/68560
Interior only



Grey Metallic
* 09/80340
Interior only




Copper Hybrid
* 09/90180
Interior only




Anthracite Metallic
* 09/80170
Interior only




Gold Hybrid
* 09/90200
Interior only




Silver Hybrid
* 09/90190
Interior only



Silver Gold **NEW**
* 09/68631
Interior only



Grey Hybrid
* 09/90170
Interior only




White Hybrid
* 09/90160
Interior only

* To increase durability and chemical resistance, TIGER Drylac recommends the application of a clear top coat for interior and exterior colors marked with an asterisk.



Epoxy Silver Matte
* 69/91390
Interior only



Silver Matte
* 49/90500



Silver Matte One Coat
49/92380




Silver Gloss One Coat
49/92900




Gold
49/91190




Anthracite Fine Texture Metallic
49/79680



APRX to RAL 9006 Matte One Coat
49/92910



APRX to RAL 9006 Gloss One Coat
49/92890



Copper
49/90620




US 2 Fine Texture Glimmer
49/70787



Brown C33 One Coat
49/66230




APRX to RAL 9007 Silver Gloss
49/92880




Silver
49/93240




US 1 Fine Texture Glimmer
49/70785



Bronze C34 One Coat
49/66220




Low Lights Bronze **NEW**
49/61120




White
49/10363




DB 702 Fine Texture Glimmer
49/70789




Beige C32 One Coat
49/15240



Sahara Gold
* 49/90137




Pearlescent White
49/18140




Sparkle Silver
** 49/90450



Bengal Silver
49/99999




Twinkle **NEW**
49/91558



Mirror Silver
* 49/91260




Silver 49/00320 (Top coat)
RAL 5003 49/42230 (Base coat)
**



Standard Silver
* 49/90380




P 2 Glimmer
49/70190



* Chrome OGF
49/91312




Twilight 49/00390 (Top coat)
Black 49/82830 (Base coat)
**




No-Smudge Silver
49/92790



P 3 Glimmer
49/70200




Kromezone **NEW**
* 49/95001




Black Stardust
** 49/90009



DB 702 Glimmer
49/77790



P 4 Glimmer
49/70220



Orange Grove **NEW**
49/38706



Copper Metallic
* 49/92780




DB 703 Glimmer
49/84340




P 6 Glimmer
49/70210

Recommended clear top coat for Interior Clear Ice Matte Epoxy 69/00300.


Recommended clear top coats for Exterior and Interior Clear Matte Acrylic Hybrid 16/00030 | Clear Semi-gloss Polyester TGIC 49/00280 | Clear Glossy Polyester TGIC 49/00530 | Clear




Hope
49/38709 **NEW**




APRX to RAL 9006 One Coat Gloss
59/93370




Sparkle Silver
** 38/90070 **NEW**




P 14 Glimmer
49/70230



Gun Metal **NEW**
59/95726




Anodized Silver
38/91020



P 5 Glimmer
49/80180




Oil Rubbed Bronze Fine Texture
59/91611 **NEW**




Marine Silver One Coat
38/90010



P 7 Glimmer
49/80190



Bronze Matte
39/60020




Greco **NEW**
38/68130



Gold Brown **NEW**
38/68192



Silver
39/90000



Champagne 303 **NEW**
38/15020

finetexturesglimmersantiques
glitterssuperdurablestextures

2nd generation bonded metallics

Colors and finishes displayed in this chart are to be considered as a representation only. In practice, discrepancy between the color swatch and the actual powder coating may arise. This is due to paper and ink limitations and the influence of light and heat during the chart production, as well as gloss level, substrate and surface variations, binder systems and pigments, coating thickness and cure oven conditions used during manufacturing.

RAL colors are matched as approximate as possible to the RAL Standards.

Color swatches have been matched to color references at a 60-degree angle. Gloss level according to Gardner 60° ASTM D523.

For an accurate color and finish assessment, it is recommended to obtain a powder coated sample panel from TIGER Drylac.



THE AMERICAS**BRAZIL**

TIGER Drylac do Brasil Ltda.
13295-000 ITUPEVA SP
T 55-11-44-96-53-27
F 55-11-44-96-65-14
office.br@tiger-coatings.com

CANADA

TIGER Drylac Canada Inc.
Guelph, ON, N1G 4P5
T 1-800-243-8148
F 1-877-926-8148
customerservice.ca@tiger-coatings.com

Warehouse Alberta
Calgary, AB, Canada T2C 4Y7
T 1-800-243-8148
F 1-877-926-8148
customerservice.ca@tiger-coatings.com

Warehouse Manitoba
Winnipeg, MB, R3P 2M5
T 1-800-243-8148
F 1-877-926-8148
customerservice.ca@tiger-coatings.com

Warehouse British Columbia
Richmond, BC, V6W 1L8
T 1-800-243-8148
F 1-877-926-8148
customerservice.ca@tiger-coatings.com

MEXICO

TIGER Drylac MEXICO S.A. DE C.V.
Col. Santa Cruz Acatlan, Naulcalpan
Edo. de Mexico C.P. 53150
T 52-55-53-63-12-14
F 52-55-53-63-17-39
mexico@tiger-coatings.com

TIGER Drylac MEXICO S.A. DE C.V.
Parque Industrial Tres Naciones -
Segunda etapa
San Luis Potosí, SLP, C.P. 78395
T 52-444-799-72-43
F 52-444-799-72-44
mexico-slp@tiger-coatings.com

U.S.A.

TIGER Drylac U.S.A., Inc.
Reading, PA 19605
T 1-800-243-8148
F 1-877-926-8148
customerservice.us@tiger-coatings.us

TIGER Drylac U.S.A., Inc.
Ontario, CA 91761
T 1-800-243-8148
F 1-877-926-8148
customerservice.us@tiger-coatings.us

TIGER Drylac U.S.A., Inc.
St. Charles, IL 60174
T 1-800-243-8148
F 1-877-926-8148
customerservice.us@tiger-coatings.us

Warehouse Texas
Dallas, TX 75233
T 1-800-243-8148
F 1-877-926-8148
customerservice.us@tiger-coatings.us

Warehouse Georgia
Jonesboro, GA 30236
T 1-800-243-8148
F 1-877-926-8148
customerservice.us@tiger-coatings.us

Warehouse Oregon
Portland, OR 97224
T 1-800-243-8148
F 1-877-926-8148
customerservice.us@tiger-coatings.us

EUROPE**AUSTRIA**

TIGER Coatings GmbH & Co. KG
A-4600 Wels
T 43-7242-400-0
F 43-7242-650-08
office@tiger-coatings.com
www.tiger-coatings.com

BELARUS

ODO «Tehnocolor» Minsk
220089 Minsk
T 375-17-204-12-77
F 375-17-204-68-81
tehnocolor@tut.by

BENELUX

TIGER Coatings Belgium bvba
BE-3640 Kinrooi
T 32-89-70-00-16
F 32-89-56-78-58
office.be@tiger-coatings.com
office.nl@tiger-coatings.com

BOSNIA & HERZEGOVINA

KLIO d.o.o.
BiH-75300 Lukavac/Tuzla
T 387-35-541-300
F 387-35-541-303
klio@klio.ba

BULGARIA

Deyacolor LTD
BG-1113 Sofia 13 post box no. 265
T 359-2-978-58-61
P 359-2-495-07-80
office@deyacolor.com

CROATIA

KLIO d.o.o.
CRO-10360 Popovec/Sesvete
T 385-1-200-9041
F 385-1-200-9043
klio@klio.hr

CZECH REPUBLIC

TIGERLAK, s.r.o.
CZ-620 00 Brno
T 420-545-429-110
F 420-545-229-209
office.cz@tiger-coatings.com

DENMARK

HP Masking ApS
DK-7100 Vejle
T 45-7586-3611
F 45-7586-3621
info@hpmasking.dk

FRANCE

TIGER S.A.R.L.
F-69480 Anse
T 33-474-67-13-70
F 33-474-67-10-42
office.fr@tiger-coatings.com

GERMANY

KLOZ Kunststofftechnik GmbH
D-70736 Fellbach-Oeffingen
T 49-711-95-19-80-32
F 49-711-518-07-50
info@kkt.info

KLOZ Wickede
D-58739 Wickede-Ruhr
T 49-2377-36-25
F 49-2377-26-22

Jochen Hänel Handelsvertretung
D-65239 Hochheim a. Main
T 49-6146-83-58-81
F 49-6146-83-58-84
jochen.haenel@tiger-coatings.com

Boris Herrmann Handelsvertretung
D-44309 Dortmund
T 49-231-25-70-12
F 49-231-25-70-15
boris.herrmann@tiger-coatings.com

Thomas Leitzke Handelsvertretung
D-41470 Neuss
T 49-2137-10-97-367
F 49-2137-10-97-368
thomas.leitzke@tiger-coatings.com

GREAT BRITAIN

TIGER COATINGS UK LTD
Solihull, West Midlands, B93 9EG
T 44-1564-778-866
F 44-1564-778-903
office.gb@tiger-coatings.com

HUNGARY

TIGERLAKK Kft.
H-1183 Budapest
T 36-61-293-90-20
F 36-61-297-45-49
office.hu@tiger-coatings.com

ITALY

TIGER Drylac Italia s.r.l.
I-24121 Bergamo
T 39-35-413-35-80
F 39-35-27-03-87
office.it@tiger-coatings.com

LITHUANIA, LATVIA

UAB „LAKMALIT“
LT-44299 Kaunas
T 370-7-32-37-41 (32-34-95)
F 370-7-32-40-87
tiger@lakmalit.lt

POLAND

Tensor Consulting
PL-04512 Warsaw
T 48-22-815-42-79
F 48-22-812-09-50
office@tensor.com.pl

RUSSIA

OOO Technokolor-M
107370 Moscow
T 007-495-787-43-73
F 007-499-966-75-08
sale@tehnocolor.ru

SERBIA & MONTENEGRO

KLIO NS d.o.o.
YU-21000 Novi Sad
T 381-21-478-01-08
F 381-21-641-00-40
klio_ns@yahoo.com

SLOVAKIA

TIGERLAK Slovakia spol.s r.o.
SK-902 01 Pezinok
T 421-33-640-00-71
F 421-33-640-00-72
office.sk@tiger-coatings.com

SLOVENIA

T-Lotus d.o.o.
SLO-9240 Ljutomer
T 386-2-583-18-79
F 386-2-583-18-80
kontakt@t-lotus.si

SPAIN

Oscar Illanas
ES-12540 VILA-REAL (Castellón)
T 34-964-050-309
F 34-964-050-309
office.es@tiger-coatings.com

SWITZERLAND

FEYCO AG
CH-9430 St. Margrethen SG
T 41-71-747-84-11
F 41-71-747-85-10
info@feyco.ch

UKRAINE

Interfarb - Ukraina GmbH
UA-79012 Lviv
T/F 380-32-240-23-11
T 380-32-297-10-76
interfarb@utel.net.ua

AFRICA**EGYPT**

TIGER Coatings Egypt (LTD)
Cairo, 11828, Egypt
T 20-2-46-65-14-55
F 20-2-46-65-04-31
office.eg@tiger-coatings.com

SOUTH AFRICA

FERRO Industrial Products (PTY) LTD
Brakpan 1540, South Africa
T 27-11-746-4000
F 27-11-746-4020
ianfo@ferrosa.co.za

ASIA**CHINA**

TIGER Drylac (Taicang) Co. Ltd.
Taicang, Jiangsu 215400
T 86-512-53-73-79-99
F 86-512-53-73-77-08
office.cn@tiger-coatings.com

TIGER Drylac Beijing Warehouse
Shibali dian Chaoyang, Beijing
T 86-10-87-30-48-66
F 86-10-87-30-51-47

TIGER Technology Centre - South China
Zhongshan, Guangdong
T 86-760-89-93-70-56
F 86-760-89-93-70-57

JAPAN

TIGER Drylac JAPAN K.K.
Sagamihara, 252-1135, JAPAN
T 81-42-760-60-56
F 81-42-760-60-57
office.jp@tiger-coatings.com

TIGER Drylac JAPAN K.K. Osaka office
Nishinakajima Osaka, 532-0011
T 81-6-63-01-12-25

MALAYSIA

TIGER Drylac MALAYSIA Sdn. Bhd.
50250, Kuala Lumpur
T 60-3-20-39-43-15
F 60-3-20-31-83-59
office.my@tiger-coatings.com

SINGAPORE

TIGER Drylac SINGAPORE Pte. Ltd.
SINGAPORE 759196
T 65-67-59-94-33
F 65-67-59-94-36
office.sg@tiger-coatings.com

TAIWAN

Vigorousport Int. Co., Ltd.
Taichung, TAIWAN
T 886-4-23-82-21-23
F 886-4-23-82-21-11
office.tw@tiger-coatings.com

THAILAND

Grand Siam Commercial Co., Ltd.
Bangkok 10320
T 66-2-691-62-74
F 66-2-691-22-25
apichart@samart.co.th

VIETNAM

TIGER Drylac Vietnam Co., Ltd.
Binh Duong Province
T 84-650-375-83-70
F 84-650-375-83-71
office.vn@tiger-coatings.com



Member of

Powder
Coating
Institute



TIGER
green coating
A GREENER FINISH.
FOR A BETTER WORLD.